



## S80-MH-5-Y09

Distance sensor with laser emission and time of flight measurement

### INSTRUCTION MANUAL



### CONTROLS

#### FRONT INDICATORS LED

**OUTPUT LED**  
The yellow LED ON indicates the OR function of the OUT1 and OUT2 outputs (one of the 2 outputs is active).

**ALARM LED**  
The red LED ON indicates the absence of signal.

#### COMMAND PANEL AND DISPLAY

**OUTPUT LED**  
The yellow LED ON indicates the logic OR function of the two OUT1 and OUT2 outputs (one of the 2 outputs is active).

**DISPLAY (4-digit green coloured display)**  
In the normal mode, the display indicates the detected distance, in millimetres. The "LLLL" message on display means distance under the minimum value. The "HHHH" message on display means distance over the maximum value. The "FFFF" message on display means low signal received condition.

**OUT1, OUT2 LEDs**  
The n.1 and n.2 green LEDs ON indicate the activation of the OUT1 and OUT2 outputs.

**FAST LED**  
The n.3 green LED ON indicates the activation of the FAST reading mode (500 Hz).

**SET PUSHBUTTON**  
A pressure on the pushbutton activates the self-setting procedure. A long pressure on the pushbutton allows the user to access into the mode (FAST or NORM) and delay setting menu.

**+/- PUSHBUTTONS**  
A light pressure on these pushbuttons allows the user to run through the menu of the sensor parameters and setting menu. Moreover, a long pressure allows to change the switching threshold value, as indicated in the "SWITCHING THRESHOLD ADJUSTMENT" paragraph.


### INSTALLATION

The sensor can be positioned by means of the three housing's holes using screws (M5x40 or longer) with nuts and washers. Various orientable fixing brackets to ease the sensor positioning are available (please refer to the accessories listed in the catalogue). The operating distance is measured from the front surface of the sensor optics. The M12 connector can be oriented at two different positions (refer to figure).



### CONNECTIONS

#### M12 CONNECTOR




NOTE: the wire colours are referred to the cables manufactured according to the European standard.

### TECHNICAL DATA

Power supply:	15 ... 30 Vdc limit values Class 2 (Type 1) UL 508
Ripple:	2 Vpp max.
Consumption (output current excluded):	170 mA max (110 mA @ 24 V)
Outputs:	2 PNP or NPN outputs 30 Vdc max. (short-circuit protection) analogue output with 4-20 mA
Serial interface:	RS485, 9600Bd, 8N1
SYNC input:	PNP
Measurement range:	300 ... 4000 mm (from 90% white to 18% grey) 400 ... 2500 mm (6% black)
Linearity:	0.3% (24Vdc, 25°C, with 90% white target)
Repeatability:	<5 mm (FAST)
Hysteresis:	5 mm (NORM) ; 10 mm (FAST)
Temperature drift:	< 0.6 mm/°C
Output current:	100 mA max.
Output saturation voltage:	≤ 2 V
Response time:	5 ms (NORM) ; 1 ms (FAST)
Response time for analogue output:	Max. Variation from 0.3 to 7 m = 40 msec
Switching frequency:	100 HZ (NORM) ; 500 Hz (FAST)
Warm up:	20 min
Indicators:	<b>command panel:</b> 4-digit display (GREEN), OUTPUT LED (YELLOW) 2 OUT1, OUT2 LEDs (GREEN) FAST LED (GREEN). <b>Indicators LED:</b> OUTPUT LED (YELLOW) / ALARM LED (RED)
Setting:	SET, +, - pushbuttons
Data retention:	non volatile EEPROM memory
Operating temperature:	-10 ... 50 °C
Storage temperature:	-20 ... 70 °C
Electrical shock protection:	Class 2
Typical spot dimension:	Ø 12 mm at 2 m Ø 20 mm at 4 m
Emission type:	Red laser (658 nm) Class 2 (λ. 658 nm) EN 60825-1 (2014)
Ambient light rejection:	According to EN 60947-5-2
Vibrations:	0.5 mm amplitude, 10 ... 55 Hz frequency, for every axis (EN60068-2-6)
Shock resistance:	11 ms (30 G) 6 shock for every axis (EN60068-2-27)
Housing material:	aluminium
Lens material:	Window and lenses in glass
Mechanical protection:	IP67
Connections:	M12-8 pole connector
Weight:	330 g. max.

### DIMENSIONS



### SETTING OF THE 2 CHANNELS

**Legend:**  
● pushbutton pressed    ○ pushbutton not pressed  
■ LED on    □ LED off

The switching threshold setting for each of the 2 channels and the selection of the logic switching is effected placing directly the object to detect in front of the sensor, according to the following procedure:

#### - Detection

- Place the object to detect in front of the sensor.

	OUT				Display				Keyboard		
OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-	
■	□	■	□	1	9	4	5	○	●	○	

- Press the SET pushbutton for at least 2 s.

- The "CH-1" message appears.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	C	H	-	1	○	●	○

#### - Channel selection

- To select the channel setting use the +/- pushbuttons.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	C	H	-	1	●	○	●
				↑			↓			
				C	H	-	2	●	○	●

#### - DARK/LIGHT selection

- Press the SET pushbutton again for at least 0.5 s.

- The "L On" message appears.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	L	O	n	○	●	○	○

- To select the DARK/LIGHT mode of the channel use the +/- pushbuttons.

- "L on" is visualised when the LIGHT mode is selected; "d on" in case of DARK mode

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	L	O	n	○	●	○	○
				↑			↓			
				d	O	n	○	●	○	○

#### - Target detection phase

- Press the SET pushbutton for at least 0.5 s, the "uPd" message begins to blink (4Hz, for 2 s).

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	u	P	d	○	●	○	○

- The detection distance value appears.

- The +/- pushbuttons can be used to change the detected distance value.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
■	□	■	□	1	9	4	5	○	●	○

- The units change if these pushbuttons are pressed repeatedly, the tens if kept pressed.

- Press the SET pushbutton again for at least 0.5 s, to end the detection phase.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
■	□	■	□	1	9	4	5	○	●	○

### SWITCHING THRESHOLD ADJUSTMENT

	OUT				Display				Keyboard		
OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-	
■	□	■	□	1	9	4	5	○	●	○	

- Press the +/- pushbuttons for at least 2 s.

- The "CH-1" message appears.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
■	□	■	□	C	H	-	1	○	○	○

#### - Channel selection

- Use the +/- pushbuttons to select the channel to detect.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	C	H	-	1	○	○	○
				↑			↓			
				C	H	-	2	○	○	○

#### - Distance of threshold phase

- Press the SET pushbutton for at least 0.5 s.

- The previously detected distance value appears.

- Use the +/- pushbuttons to change the detected distance value.

- The units change if these pushbuttons are pressed repeatedly, the tens if kept pressed.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
■	□	■	□	1	9	4	5	○	●	○

- Press the SET pushbutton again for at least 0.5 s, to end the adjustment phase.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
■	□	■	□	1	9	6	0	○	●	○

### SETTING OF THE PARAMETERS

	OUT				Display				Keyboard		
OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-	
□	□	□	□	1	9	4	5	○	●	○	

- Press the SET pushbutton for at least 6 s to enter into the parameter setting menu. The "MEnu" message appears.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	M	E	n	u	○	○	○

- Pressing the + and - pushbuttons the user can run up and down the menu, reading the following messages.

#### - Functioning mode selection

- At each pressure of the SET pushbutton, the user can run through the options of the selected level.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	n	O	r	M	○	○	○
				↑			↓			
				F	A	S	t	○	○	○

- The setting of the normal of fast mode is in common to both outputs.

#### - Delay setting

- At each pressure of the SET pushbutton, the user can run through the options of the selected level.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	d	-	0	0	○	○	○

↑ ↓

d - 0 5 ○ ● ○

↑ ↓

d - 1 0 ○ ● ○

↑ ↓

d - 2 0 ○ ● ○

↑ ↓

d - 3 0 ○ ● ○

↑ ↓

d - 4 0 ○ ● ○

- The delay value setting is in common to both outputs.  
- When a delay value, different from zero, is set, the outputs will be maintained active for a minimum time equal to the number of milliseconds visualised on the display.

#### - Visualisation of the channel 1 data

- At each pressure of the SET pushbutton, the user can run through the options of the selected level.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	C	H	-	1	○	○	○

↑ ↓

THRESHOLD 1 9 4 5 ○ ● ○

↑ ↓

MODE L/d - O n ○ ● ○

- Visualisation of the channel 2 data  
- At each pressure of the SET pushbutton, the user can run through the options of the selected level.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	C	H	-	2	○	○	○

↑ ↓

THRESHOLD 1 9 4 5 ○ ● ○

↑ ↓

MODE L/d - O n ○ ● ○

- Serial output deactivation  
- At each pressure of the SET pushbutton, the user can run through the options of the selected level.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	S	-	o	n	○	○	○

↑ ↓

S - o f ○ ● ○

#### - Memorisation of the parameters set

- Pressing the SET pushbutton (the SAVE message blinks for 2s, 4Hz) all the changed values are saved and the user exits from the menu, and returns to the normal mode.  
- One of the +/- pushbuttons has to be pressed to return to the setting menu.

OR	1	2	3	Dig1	Dig2	Dig3	Dig4	+	SET	-
□	□	□	□	S	A	V	E	○	○	○

- Pressing the SET pushbutton (the SAVE message blinks for 2s, 4Hz) all the changed values are saved and the user exits from the menu, and returns to the normal mode.  
- One of the +/- pushbuttons has to be pressed to return to the setting menu.

#### - Exit from the parameter setting menu

- After a 10 s inactivity of the pushbuttons, the sensor returns to the normal mode visualising the distance.

## REMOTE FUNCTION

### KEYLOCK function (SET pushbutton block)

The keyboard block function is activated at powering on, connecting the SYNC terminal to the positive power supply (+Vdc) for at least 1 s.

After the first second, the SYNC input is ready for the normal synchronisation operations (refer to next paragraph)

To deactivate the *keyboard block*, the sensor has to be turned off and re-powered maintaining the SYNC wire not connected or ground connected (GND).


### SYNC input (synchronisation)

The connection of the SYNC wire to +Vdc corresponds to the passive logic status while SYNC not connected or connected to 0 V corresponds to the active logic status.

SYNC passive = +Vdc ; SYNC active = 0V

The synchronisation signal allows to calculate the beginning and ending instants of the measurement. The reading cycle begins after the transition of the SYNC signal from passive to active and the sensor outputs are updated after max. 400µs.

All the outputs are deactivated after max. 400µs from the active – passive transition.



The SYNC wire is used also to determine the transmission direction when the RS485 serial connection is used.

### RS485 serial connection


The serial communication parameters are: 9600 baud, non-parity, 8 data bits, 1 stop bit.

The refresh time of the serial port is 15ms.

The SYNC input is used to determine the communication direction, and in particular if low (active)

direction S80->User, if high (passive) User->S80.

With SYNC active, the sensor continuously transmits the detected distance value (with a precision of 12bit) by means of a binary data format. 2 byte are used; one with bit 0 at logic level 1 identifies the more important byte.



The RS485 serial interface allows also the complete remote control of the sensor.

All the commands have to be sent via terminal in an ASCII format according to the following:

#### - Receipt of the channel status:

At any moment, at the receipt of the 'r <CR> <LF>' remote command (and SYNC passive), the sensor configuration is restored.

#### - Remote configuration:

The commands available are:

- @ <CR> <LF> beginning of the remote setting mode (and SYNC passive)
- cx <CR> <LF> channel selection, with x ∈ {1, 2}
- vxxx <CR> <LF> distance selection, with xxx ∈ {0...4095}
- bx <CR> <LF> dark/light mode selection, with x ∈ {1, 2}
  - b1 = Dark
  - b2 = Light
- e <CR> <LF> memorisation of the configuration sequence.
- q <CR> <LF> exit from remote setting without saving the configuration.

At the receipt of the q <CR> <LF> or e <CR> <LF> commands, the sensor visualises ok <CR> <LF>.

#### - Delay configuration:

The commands available are:

- @ <CR> <LF> beginning of the delay configuration (and SYNC passive)
- dx <CR> <LF> delay selection, with x ∈ {0, 1, 2, 3, 4, 5}
  - d0 = 0 ms      d3 = 20 ms
  - d1 = 5 ms      d4 = 30 ms
  - d2 = 10 ms     d5 = 40 ms
- e <CR> <LF> memorisation of the new delay value
- q <CR> <LF> exit from the delay configuration without saving the configuration.

At the receipt of the q <CR> <LF> or e <CR> <LF> commands, the sensor visualises ok <CR> <LF>.

#### - Normal/fast mode configuration:



The commands available are:

- @ <CR> <LF> beginning of the remote setting mode (and SYNC passive)
- mx <CR> <LF> operating mode selection, with x ∈ {1, 2}
  - m1 = normal mode
  - m2 = fast mode
- e <CR> <LF> execution of configuration sequence.
- q <CR> <LF> exit from the remote setting mode without saving the configuration.

At the receipt of the q <CR> <LF> or e <CR> <LF> commands, the sensor visualises ok <CR> <LF>.

**NOTE: the single digits have to be distanced amongst themselves at least 1 ms, during the command transmission.**

## DETECTION DIAGRAMS



## SAFETY WARNINGS

All the safety electrical and mechanical regulations and laws have to be respected during sensor functioning. The sensor has to be protected against mechanical damages. Place the given labels in a visible position close to the laser emission.



Do not look directly into the laser beam!  
Do not point the laser beam towards people!  
Eye irradiation for over 0.25 seconds is dangerous; refer to class 2 standard (EN60825-1).  
These sensors are not conform to safety applications!  
This product is intended for indoor use only.

*The sensors are NOT safety devices, and so MUST NOT be used in the safety control of the machines where installed.*

#### Datalogic S.r.l.

Via S. Vitalino 13 - 40012 Calderara di Reno - Italy  
Tel: +39 051 3147011 - Fax: +39 051 3147205 - www.datalogic.com

Helpful links at [www.datalogic.com](http://www.datalogic.com): [Contact Us](#), [Terms and Conditions](#), [Support](#).

The warranty period for this product is 36 months. See General Terms and Conditions of Sales for further details.

Under current Italian and European laws, Datalogic is not obliged to take care of product disposal at the end of its life. Datalogic recommends disposing of the product in compliance with local laws or contacting authorised waste collection centres.

© 2008 - 2017 Datalogic S.p.A. and/or its affiliates • ALL RIGHTS RESERVED. • Without limiting the rights under copyright, no part of this documentation may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means, or for any purpose, without the express written permission of Datalogic S.p.A. and/or its affiliates. Datalogic and the Datalogic logo are registered trademarks of Datalogic S.p.A. in many countries, including the U.S.A. and the E.U. All other trademarks and brands are property of their respective owners. Datalogic reserves the right to make modifications and improvements without prior notification.